



PROMODAG REPORTS 14

Getting started

On-Premises and Hybrid environments

COPYRIGHTS

Copyright © 1999 - 2025 PROMODAG SA. All rights reserved.

Information in this document is subject to change without notice. The software described in this document is furnished under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of those agreements. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of PROMODAG SA.

PROMODAG SA
8, rue Charles-Pathé
94300 VINCENNES
France

<https://www.promodag.com>

Rev- 13 - 03/2025

TABLE OF CONTENTS

Introducing Promodag Reports	4
How does it work?	5
Chapter 1 - Prerequisites	7
A - Microsoft Exchange Server requirements	7
B - Computer requirements	7
C - Creating a Promodag account for an On-Premises environment	7
D - Certificate-based authentication to Office 365	8
E - User-based authentication to Office 365	11
F - SQL Server requirements for Promodag Reports Enterprise edition	11
Chapter 2 - Getting started	13
A - Evaluating the product	13
B - Installing the application	13
C - Initial setup	13
Chapter 3 - Using reports	21
A - How to find your way?	21
B - Creating new custom reports	21
C - Saving custom reports	24
D - Previewing, exporting, publishing and e-mailing reports	25
Support	26
Index	27

About this guide

This guide is designed to provide a quick introduction to Promodag Reports for Microsoft Exchange, and it describes steps from getting started to producing the first report.

For more details about specific features of Promodag Reports, please refer to the online Help system.

Introducing Promodag Reports


Promodag Reports is an advanced and cost-effective reporting tool that enables Exchange Server administrators and IT managers to obtain valuable information about all aspects of their email system.

With its powerful and easy-to-understand features, Promodag Reports produces comprehensive reports that you can rely on to ensure better security, business continuity, and to improve Exchange organization performance.


Promodag Reports is easy to install and configure. Reports use native Exchange server data sources; so, there is nothing to install on the server. The product collects and stores the necessary data into a SQL Server Express LocalDB or an SQL Server database. You can choose from over 80 ready-made report templates and publish reports to various destinations in different formats. All operations can be easily automated and scheduled so you can set up the product and forget about it.

How does it work?

On-Premises environments: schematic system layout



Office 365 environments: schematic system layout



Chapter 1 - Prerequisites

A - Microsoft Exchange Server requirements

Promodag Reports supports Microsoft Exchange Server 2010 to Exchange Server 2019 and Office 365 (Exchange Online). It is possible to use the product with a mix of different versions of Exchange.

You do not need to install anything on the Exchange Server, or to modify anything in your Exchange organization.

B - Computer requirements

The 'Promodag computer' is the computer on which Promodag Reports is installed.

Promodag Reports can be installed on a machine running a supported desktop or server operating system. It is not recommended to install it on a strategic element of your environment, for example a GC server or an Exchange server.

1. Common computer hardware and software requirements

- Computer: A Core i3 Intel Processor with 4 GB of RAM or an equivalent Virtual Machine.
- Supported operating systems: A 64-bit version of Windows 10/Windows Server 2016 to Windows 11/Windows Server 2022. Core versions of Microsoft Windows Server are not supported.
- The Windows Remote Management (WS-Management) service should be enabled and set to Automatic (Delayed Start).

2. Specific requirements for Office 365

Internet access

If your Exchange organization is Hybrid or full Office 365, the computer must have access to the Internet and the endpoints whose list is regularly updated by Microsoft must be reachable for customers using Office 365 plans, including Government Community Cloud (GCC).

C - Creating a Promodag account for an On-Premises environment

The 'Promodag account' is the service account that is used to start Promodag Reports. It should be created along with a mailbox.

1. Create a user account and a mailbox

Create a new user and a mailbox using the Exchange admin center (EAC) and give it a meaningful name, for example 'ServicePromodag'. The password for this user should never expire.

2. Add the user to the local Administrators group

Follow these steps to add the Promodag user to the local Administrators group:

1. Open Computer Management.
2. In the console tree, click Groups (Computer Management\System Tools\Local Users and Groups\Groups).
3. Right-click the Administrators group, click **Add to Group**, and then click **Add**.
4. In the Select Users, Computers, or Groups dialog box, type the name of the Promodag user, and then click **OK**.

3. Assigning the appropriate roles to the Promodag user

Exchange 2013/2019:

- Click Admin > Exchange to open the Exchange Admin Center.
- Click Permissions and open the Admin role tab and then click **Add +**.
- In the New role group window that appears, enter a name and a description for this new group, for example 'Promodag Reports'.
- In Roles, click **Add +** and select the ApplicationImpersonation role.
- Click **+** to add the Promodag user.
- Click **Save**.
- Add the Promodag user to the Recipient Management and Public Folder Management role groups.
- Click **Save**.

Exchange 2010:

Add the user account into the Organization Management and Hygiene Management role groups using Active Directory Users and Computers tool (ADUC). You will find these groups in the Microsoft Exchange Security Group Organizational Unit.

D - Certificate-based authentication to Office 365

If your company's security policy doesn't allow you to use an account and password to access Office 365 or if you use MFA, you can skip the **User-based authentication** mode and use the **Certificate-based authentication** mode instead. You can make this choice in the Configuration Wizard or in the Office 365 configuration tab of **Tools > Options**.


1. Create the certificate and the Promodag Reports Application

Please follow these steps to create the Promodag Reports Application, the certificate, register them in Microsoft Entra ID and create a dedicated role group in Exchange Admin Center:

Prerequisites

The computer's operating version must be greater than or equal to Windows 10/Windows Server 2016. Microsoft PowerShell 7 or higher is required.

The ExchangeOnlineManagement and Microsoft.Graph PowerShell modules should be installed on the computer. If they are not, please proceed with these steps:

1. Click  and search for PowerShell > Windows PowerShell 7 and run it as administrator.
2. Install the ExchangeOnlineManagement module: [Install-Module ExchangeOnlineManagement -Scope AllUsers](#)
3. Install the Microsoft.Graph module: [Install-Module Microsoft.Graph -Scope AllUsers](#)

Create the certificate and application using the provided script

These steps will enable you to create a self-signed certificate, an application in Microsoft Entra ID to access your tenant, and a role group in Exchange Admin Center.

1. The script is delivered by default in the C:\Users\Public\Documents\Promodag\Reports\ directory but you can use it from a different location (download link).
2. Run the script: [.\CreateRepexRBACApp.ps1](#)
3. Enter certificate password at prompt and write it down.

4. The script will proceed, and you will be prompted to sign-in to Office 365 to create the role group and grant it the relevant permissions. Use a Global Administrator account.
5. A certificate valid for two years has now been created in the script directory with the name "RepexRBACAppCertificate.pfx". The application has been created in Microsoft Entra ID with the name "Promodag Reports RBAC Application", a role group with the name "Promodag Reports RBAC Role Group" has been created in Exchange Admin Center, a service principal object has been created for this new application and it has been added as a member of this new role group.
6. The script displays the summary information to be used in Promodag Reports: Application ID and certificate path, plus a link (*Authorization URL*) to connect to Microsoft Entra ID and authorize the newly created application. This information is then saved into a file in the current directory.

```
[INFO] Check Windows version: OK
[INFO] Check Microsoft Graph module: OK
[INFO] Check ExchangeOnlineManagement module: OK
[INFO] Input certificate password, please: *****
[INFO] MS Graph connection established.
[INFO] Creating the client application (Promodag Reports RBAC Application)
[INFO] Creating the Service Principal for the client application (Promodag Reports RBAC Application)
[INFO] 'Administrator@promodag.dev.onmicrosoft.com' added as an application owner to app 'Promodag Reports RBAC Application'
[INFO] Done creating the client application ()
[INFO] Getting API permissions for Microsoft Graph, Microsoft 365 Exchange Online, Microsoft 365 SharePoint Online
[INFO] Adding permissions...
[INFO] Please connect to Exchange Online.
[INFO] Exchange Online connection established.
[INFO] Role Group created.
[INFO] Service Principal created.
[INFO] Service Principal added to the Role Group.
```

```

  Your Promodag Reports application and certificate has been successfully generated.

```

```
Tenant domain: promodag.dev
Grant id: 7d885362-42d6-430d-b0f0-5d8a26961000
Application name: Promodag Reports RBAC Application
Application Id: e3b6c097-5634-4f39-b6ae-78079f3f3a3d
Role Group name: Promodag Reports RBAC Role Group
Service Principal name: SP for Promodag Reports RBAC Application
Certificate file: .\RepexRBACAppCertificate.pfx
Certificate expiration: 06/06/2026 18:34:12
```

Copy the below URL and paste it into your browser to grant permission to the application:
 URL: https://portal.azure.com/#blade/Microsoft_AAD_RegisteredApps/ApplicationMenuBlade/CallAnAPI/appId/e3b6c097-5634-4f39-b6ae-78079f3f3a3d/jwtTokenId/4d60-4235-8096-629246937711/MSApp/

A summary of these information has been saved in .\RepexRBACAppCreation.log

2. Authorize this new application in Microsoft Entra ID

Grant admin consent

1. Paste the URL displayed in a web browser to connect to Microsoft Entra ID. Sign in using a Global Administrator account. The Promodag Reports RBAC Application | API permissions page opens.
2. Click **Grant admin consent for <name of your Office 365 tenant>**.
3. Review the permissions granted to the application (see the help file for detailed information).

Optional: You can delete the self-signed certificate and use your own if you prefer. See the help file on how to do it.

3. Apply "Promodag Reports RBAC Application" settings to Promodag Reports

Please make sure that you have retrieved the following information the first step:

- Application ID,
 - Certificate path,
 - Certificate password.
1. In Promodag Reports, go to **Tools > Options**, Office 365 configuration.
 2. Select Certificate-based authentication.
 3. Enter the Application ID, Certificate file path and Certificate password in the corresponding fields.
 4. Click the [Check validity](#) link to verify the certificate expiration date.
 5. Click the [Check connection](#) links to verify that Promodag Reports can connect to your tenant using the Microsoft Entra ID application and the certificate.

4. If you have already created the Promodag Reports application and wish to grant it minimum permissions

Step 1 Remove the Global Reader role

1. Open the Azure AD portal at <https://portal.azure.com/>.
2. Under Manage Microsoft Entra ID, click **View**.
3. On the Overview page that opens, under Manage, select **Roles and administrators**.
4. In the search field, enter the name of the Global Reader role.
5. Select the Global Reader role.
6. Remove the Promodag Reports Application from the assignments.

Step 2: Retrieve the Promodag Reports Microsoft Entra ID application identifiers

1. Open the Azure AD portal at <https://portal.azure.com/>.
2. Under Manage Microsoft Entra ID, click **View**.
3. On the Overview page that opens, under Manage, select **Enterprise applications**.
4. Uncheck Application type == **Enterprise Applications** next to the Search by application name field.
5. In the search field, enter the name of the existing custom Promodag Reports application (default: "Promodag Reports Application").
6. In Properties, write down the Application ID and Object ID. This will be used later.

Step 3: Create an Exchange Admin role group for Promodag Reports

1. Go to Microsoft 365 admin center, Exchange admin center.
2. Expand Roles on the left and click Admin roles.
3. Click Add role group.
4. In the New role group window that appears, enter "Promodag Reports role group" as the name of the role group along with a description.
5. Click **Next**.
6. In the Add permissions window, select View-Only Recipients and Mail Recipients.
7. Click **Next**.
8. Role group assignment will be performed in the next step. So, click **Next** again then **Add role group** to create the Role group.

Step 4: Create Management Role Assignment

In a PowerShell 7 window, connect to Exchange Online PowerShell.

Create a service principal object for the Promodag Reports Microsoft Entra ID application

```
$SP = New-ServicePrincipal -AppId <appId from step 2> -ObjectId <Object id from step 2> -DisplayName "SP for Promodag Reports Application"
```

Add the service principal as a member of the custom role group:

```
Add-RoleGroupMember -Identity "Promodag Reports role group" -Member $SP.Identity
```

Then go to "Apply "Promodag Reports RBAC Application" settings to Promodag Reports", on page 9.

E - User-based authentication to Office 365

Promodag Reports can collect information from your Office 365 tenant through a user with specific permissions. It is possible to use an existing account; however, we recommend creating a dedicated user for that purpose. This account must not be subject to multi-factor authentication (MFA). You can make this choice in the Configuration Wizard or in the Office 365 configuration tab of **Tools > Options**.

1. Create a user account for Promodag Reports

- Sign in to Microsoft 365 Admin Center as an administrator.
- Click **Users > Active users** and select Add a user.
- Choose a Display name and a user name, for example 'Promodag user'.

2. Assigning the appropriate roles to the Office 365 Promodag user

- Sign in to Microsoft 365 Admin Center as an administrator.
- Click **Admin > Exchange** to open the Exchange Admin Center.
- Click **Roles > Admin roles** and then click **Add role group**.
- In the Set up the basics window that appears, enter a name and a description pour this new group, for example 'Promodag Reports Role Group'.
- In Permissions, select the Mail Recipients and View-Only Recipients roles.
- In Admins, add the Promodag user.
- Click **Add role group**.

3. Allowing reports on mailbox content

Some additional conditions must be met to allow Promodag Reports to retrieve the content of mailboxes when running the reports of the Mailbox Content category:

- The Promodag user must be assigned a user mailbox and therefore an Office 365 license.
- Grant the ApplicationImpersonation role to the Office 365 Promodag user. To assign this role, please edit the role group created at the previous step, open the Permissions tab and add the ApplicationImpersonation role.
- If you use Modern Authentication with Office 365, authorize Promodag Reports in Microsoft Entra ID. To perform this task, open the application, go to Tools > Options, test your connection in Office 365 configuration and follow the instructions provided .

Note: In February 2024, Microsoft announced that the ApplicationImpersonation role would be removed from the Exchange Online user interface in May 2024, while its complete removal is scheduled for February 2025. The only solution will be to switch to Certificate-based authentication.

F - SQL Server requirements for Promodag Reports Enterprise edition

1. Supported versions

Promodag Reports supports all editions of Microsoft SQL Server from SQL Server 2012 to SQL Server 2022.

SQL Server Express (2012 to 2022) may be used with Promodag Reports Enterprise edition ; however, database size is limited to 10 GB.

Getting started with Promodag Reports

2. Permissions

The Promodag account must have been granted the **db_owner** role on the Promodag Reports database. It must also have the **public** and **db_datareader** roles on the TEMPDB database.

The ability to create databases requires specific SQL permissions (CREATE DATABASE).

Chapter 2 - Getting started

A - Evaluating the product

You may evaluate Promodag Reports for a period of up to **45 days** from first installation. The only other limitation is that your reports on e-mail traffic or OWA and Active Sync activity can only cover a maximal period of **15 consecutive days**.

You can indeed only import up to 15 consecutive days of Exchange message tracking files or IIS log files in evaluation mode, which explains the latter restriction.

There is no limitation to the number of report templates you can use - all options being available - during your 45-day evaluation period.

B - Installing the application

Note: Please make sure that your workstation complies with all points listed in Workstation requirements before proceeding with the installation process.

Installing Promodag Reports

- a. Go to <https://www.promodag.com/> to download Promodag Reports.
- b. Choose a temporary directory to store the installation package.
- c. Double-click the installation package to start the installation process.
- d. Simply follow the instructions of the installation wizard.

For more information about default paths for installation and settings, see the help file.

C - Initial setup


Starting the application

From the Start Menu, select Programs > Promodag > Promodag Reports 14 to start Promodag Reports.

You will first be prompted to select the type of Exchange organization you wish to analyze.

The configuration wizard provides a user-friendly interface to start with Promodag Reports. It automatically appears when you run the software for the first time and guides you through the first configuration of the product.

Getting started with Promodag Reports




It provides you with instructions on :

1. Evaluating or licensing the product,
2. Creating a new Promodag Reports database,
3. Discovering the on-premise Exchange servers,
4. Configuring a connection to your Office 365 tenant (Hybrid deployment),
5. Selecting data sources to import depending on the reports you need:
 - a. Message tracking files,
 - b. Internet Information Services log files,
 - c. Storage size:
 - Mailbox size,
 - Database size,
 - Mailbox count per database,
 - Public folder size,
6. Starting the data import process.

1. Evaluating or licensing the product

This window lets you carry on using Promodag Reports in evaluation mode or apply a valid license to the database.



2. Creating a new Promodag Reports database

Promodag Reports requires a database in order to store the data it collects from Microsoft Exchange. It will then use this data to generate reports. It is possible to create multiple databases.

To create a new database, select the type of your messaging environment, and the type of database that best suits your needs.

Exchange Organization type

- On-Premises: Administrators run the messaging system on their own servers, in their own company.
- Hybrid deployment: This is a mixed environment: part of the messaging system is hosted in an Office 365 tenant, but the company has kept some Exchange servers on-premise.
- Office 365: The messaging system is hosted by Microsoft. Microsoft Exchange Online is an email, calendar and contacts solution delivered as a Cloud service and it is part of the Office 365 suite.

Select On-Premises or Hybrid deployment depending on your messaging environment.

Database type

SQL Server Express LocalDB

- Best suited for small Exchange organization.
- Usable with all editions of Promodag Reports.
- The physical size limit set by Microsoft to SQL Server Express LocalDB database files is 10 GB (10,240 MB).
- Microsoft SQL Server LocalDB 2017 is installed with Promodag Reports.
- No multi-user access.
- The database file should be located on the same computer as Promodag Reports.
- Easy upgrade to SQL Server.

Microsoft SQL Server

- Best suited for medium or large Office 365 tenants (more than 1,000 mailboxes).
- Requires the Enterprise edition of Promodag Reports.
- The database size is only limited by disk space on the SQL Server.
- Multi-user access.

Getting started with Promodag Reports

- Performance is determined by the power of the SQL server.
- An additional SQL Server license (not provided) may be required.

The SQL Server Express LocalDB format is recommended for evaluating the product, for it does not require anything else.

Choose a name for your database. For SQL, enter the name of the server without \\, and then the name of the instance if applicable.

Click **Next** to confirm your settings and move on to the next step.

Initial Configuration Wizard

Database creation

Promodag Reports requires a database to store the information it collects from your messaging system and generate reports. You may create as many databases as you need.

General | Advanced options

Exchange Organization type ([more](#)):

- ☐ On-Premises: local installation of your exchange servers.
- ☐ Office 365: Microsoft Cloud-based Exchange Online organization.
- ☒ Hybrid deployment: a mix of both (some of the mailboxes are local, the others are in Office 365).

Database type:

- ☒ Microsoft SQL localdb ([more](#)).
- ☐ Microsoft SQL Server ([more](#)).

Instance name: (localDB)\Promodag

File name: C:\Users\Public\Documents\Promodag\Databases\Repex.mdf ...

Description:

< Back Next > Cancel Help

3. Configuring a connection to your Office 365 tenant

If you have subscribed to an Office 365 GCC High or DoD plan, choose your Office 365 Cloud from the drop-down list.

You can choose between two sets of settings that allow Promodag Reports to access Office 365 resources:

- **Certificate-based authentication (recommended):** Promodag Reports must be published as an application in Microsoft Entra ID. In this context, the permissions are those that have been granted to the application and not to a user. To create this standard Promodag Reports Application and the linked certificate, see "Certificate-based authentication to Office 365", on page 8. To create a custom Azure application manually, see the help file.
 - Pros:
 - No specific user account and mailbox are required, which completely eliminates the problem of password expiration.
 - No Office 365 license is required.
 - Import of Office 365 licenses and Microsoft 365 data.

- Cons: None.
- **User-based authentication:** The permissions are those granted to the Promodag Office 365 account. For more information about the required permissions, see User-based authentication to Office 365.
 - Pros: Granting permission is straightforward.
 - Cons:
 - An Office 365 license for a user and mailbox are required.
 - If the password regularly expires, it must be updated in Promodag Reports.
 - The ApplicationImpersonation role is about to be deprecated (February, 2025) and it will no longer be possible to run reports on mailbox and public folder content.
 - This mode is incompatible with MFA.
 - No import of Office 365 licenses and Microsoft 365 data.

Click **Next** to confirm your settings and move on to the next step.


Initial Configuration Wizard

The Wizard needs to know your parameters to establish a connection to Office 365.

☒ Certificate-based authentication [\(What is it?\)](#) and [How to configure it?](#)

Tenant name: Example: company.onmicrosoft.com

Application ID: Example: c4ec82ad-f7a6-4831-b4b8-...

Certificate file: 

Certificate password: [Check validity:](#) November 28 2025

Public folder access mailbox: Example: user@domain.com

☐ User-based authentication [\(What is it?\)](#) and [How to configure it?](#)

To establish a connection to your Office 365 tenant, please enter the credentials of an Office 365 user with the View-Only Recipients, Mail Recipients and ApplicationImpersonation roles.
Click on this link to see how to create this user.

User name: Example: user@domain.com

Password:

Exchange Online PowerShell Module 3.3.0

[Check Powershell connection \(not tested\)](#)

[Check EWS connection \(not tested\)](#)

Office 365 Cloud:

< Back Next > Cancel Help

4. Selecting data sources to import depending on the reports you need

Message tracking files


Promodag Reports will use this data source to generate traffic reports. Select the servers whose message tracking files will be imported. The default date range covers the last 7 days.

You may specify the period to be imported:

- Import from: Date of the first message tracking file to import.
- To: Date of the last message tracking file to import.

Getting started with Promodag Reports

Click **Next** to confirm your settings and move on to the next page. The location of message tracking files will be tested on each selected server.



The screenshot shows the 'Data Source Configuration Wizard' window, specifically the 'Data sources for traffic reports' step. The window has a title bar and a header. Below the header, there is a sub-header 'Data sources for traffic reports'. The main area contains a list of available servers and a table of selected servers. The 'Available server(s): 5' list includes BRAGI, HEL, JORD, LOKI, and VAR, each with a timestamp. The 'Selected server(s): 3' table lists Office 365, DEMETER, and HERA, with columns for 'Server', 'Last import', and 'Next import'. Navigation buttons like '< Back', 'Next >', 'Cancel', and 'Help' are at the bottom. A 'Set Import Options...' button is also present. The 'Import from' and 'To' date pickers are set to 'Sat 09 Oct 2021' and 'Fri 15 Oct 2021' respectively.

Data Source Configuration Wizard

Data sources for traffic reports

Select the servers and the period for which you want to produce reports on e-mail traffic.

Available server(s): 5

- BRAGI (2021/10/01 00h)
- HEL (2021/10/01 00h)
- JORD (2021/10/01 00h)
- LOKI (2021/10/01 00h)
- VAR (2021/10/01 00h)

Selected server(s): 3

Server	Last import	Next import
Office 365		2021/10/09 ...
DEMETER		2021/10/09 ...
HERA		2021/10/09 ...

Set Import Options...

Import from: Sat 09 Oct 2021 To: Fri 15 Oct 2021

< Back Next > Cancel Help

IIS log files

Promodag Reports will use this data source to generate OWA and ActiveSync reports. Select the servers whose IIS log files will be imported. The default date range covers the last 7 days.

You may specify the period to be imported:

- Import from: Date of the first message tracking file to import.
- To: Date of the last message tracking file to import.

Click **Next** to confirm your settings and move on to the next page. The location of IIS log files will be tested on each selected server.

Data Source Configuration Wizard

Data sources for OWA and ActiveSync reports

Select the servers and the period for which you want to produce reports on OWA and ActiveSync activity.

Available server(s): 3

BRAGI (2021/10/08 00h)
HEL (2021/10/01 00h)
LOKI (2021/10/01 00h)

Selected server(s): 4

Server	Last import	Next import
DEMETER		2021/10/08 ...
HERA		2021/10/08 ...
JORD		2021/10/08 ...
VAR		2021/10/08 ...

Set Import Options...

Import from: Fri 08 Oct 2021 To: Thu 14 Oct 2021

< Back Next > Cancel Help

Storage size

Promodag Reports will use this data source to generate storage size reports. Select the servers whose storage size (mailbox and public folder size, Exchange database size) will be imported.

Click **Next** to confirm your settings and move on to the next page. The location of mailbox and public folder databases will be tested on each selected server.

Data Source Configuration Wizard

Data sources for storage size reports

Select the servers for which you want to produce reports on storage.

Available server(s): 5

BRAGI
HEL
JORD
LOKI
VAR

Selected server(s): 3

Server	1.	2.	3.	4.	5.	6.
Office 365	X			X		X
DEMETER	X			X	X	X
HERA	X			X	X	X

☒ 1. Mailbox size

☐ 2. Mailbox folder size

☐ 3. Public folder size

☒ 4. Mailbox count per database

☐ 5. Database size

☒ 6. Mobile device statistics

Server Properties

< Back Next > Cancel Help

5. Starting the import data process

For more information about these options, please refer to our Online help.

Getting started with Promodag Reports

Processing imports


Click **Finish** to start importing data. The complete process includes all previously configured steps, and can take some time depending on your selections.

Note: Import options may be saved in a batch file, so that the import process can be automated and scheduled at your convenience. See Automating and scheduling the collection of data and other actions .

Promodag Reports

1. Imports recipients from the directory/the Office 365 tenant,
2. Creates message tracking files (Office 365),
3. Imports message tracking data,
4. Imports IIS data,
5. Imports storage size data.

Each operation finishes off by displaying an operation report dialog box. A trace file is also recorded and can be used to troubleshoot possible errors or resolve various configuration issues. If you need to do so, use the Consult Trace Files option to view the content of the last trace files.




Chapter 3 - Using reports

A - How to find your way?

Promodag Reports includes about 80 report templates that you can use to create your own custom reports.


1. Report templates

To open a template, you can either

1. Use the Templates menu.
2. Use the Report Explorer, on the left pane of the main window. It can be hidden or displayed by clicking the  icon.

Before you start using the product, we suggest you open our List of reports templates on our website.

Templates are grouped in categories, such as **Storage**, **Mailbox Content** or **Billing** for example. These categories appear as main nodes in the Report Explorer and they cannot be modified. The names of these categories are meant to help you find your way among templates. Each entry comes with a short description.

Graphical reports are distinguished from tabular reports in the **Templates** menu as well as in the Report Explorer by a specific  icon.

EXAMPLE

- A template that would let you generate a report showing the size of public folders is likely to be found in the category called **Storage**. If you open that category, you will find a template called Public Folder Storage Information.
- Should you likewise need to produce a report showing the top 10 email senders in your organization, open the category called **Mailbox Traffic**. If you open that category, you will find a template called Mailbox by Traffic Level.

2. Canned reports (Favorites)

The software is delivered with a number of ready-to use custom reports, for example: 'What are the 10 largest mailboxes'. These canned reports are available on the Favorites menu and they are grouped in custom categories based on the main use cases of the product: **Traffic Analysis and SLA Reporting, Compliance, Capacity Planning and Exchange Migrations, Chargeback**.

You can rename these sample reports or delete them at will. You can also rearrange the existing tree or create your own hierarchy in the **Favorites** menu.


B - Creating new custom reports

1. Selecting a valid reporting period

Period tab and data sources

Many report templates include a Period tab: all traffic reports, OWA and ActiveSync reports and some reports on storage size. These templates share in common the use of data that must previously be imported into the database.

Getting started with Promodag Reports



The screenshot shows a configuration window for a report. At the top, there are two radio buttons: 'Absolute' and 'Relative'. The 'Relative' button is selected. Next to it is a numeric input field containing the number '7' and a dropdown menu showing 'previous day(s)'. Below this, there are two rows of date and time pickers. The first row is labeled 'From:' and shows 'Monday , March 28, 2022' with a calendar icon and '12:00:00 AM' with a time picker icon. The second row is labeled 'to:' and shows 'Sunday , April 3, 2022' with a calendar icon and '11:59:59 PM' with a time picker icon.

What reporting period can be selected?

The time range you select in the **Period** tab must always be covered by matching data imports.

EXAMPLE

Requesting a report on mailbox traffic for January until June last year will not work if you have only started to import message tracking files of this year. If you do so, you will get a message to inform you that 'No data was found for the selected period'.

Note: In evaluation mode, it is only possible to import 15 days of data: as a consequence, it is also only possible to report on that same time period.

For more information on the limitations of the evaluation mode, see Evaluating the product.

2. Selecting objects or recipients

Selection tab and directory objects

All report templates include a **Selection** tab. This feature lets you include directory objects or recipients whose traffic, content or storage must be displayed in the report.



A directory object can be a server, or an Exchange database; it can also be a recipient, for example a mailbox or a distribution group.

Directory objects are imported with most of their attributes into the database, which lets you select them using the attribute of your choice in the **Selection** tab.

EXAMPLE





Mailboxes can be selected by country, or department, or company.

☐ All organization mailboxes
☒ Mailboxes by: Department

Selection:  

Enter text to search...

... 10 / 10 (0 Selected)

<input type="checkbox"/>	[no value]	
<input type="checkbox"/>	Administration	
<input type="checkbox"/>	Development	
<input type="checkbox"/>	Management	
<input type="checkbox"/>	R & D	
<input type="checkbox"/>	Sales	
<input type="checkbox"/>	Spam	
<input type="checkbox"/>	Support	
<input type="checkbox"/>	Training	

What objects can be selected?

Each report template focuses on a specific aspect of the messaging system. As a consequence, the available **Selection** tabs differ depending on the scope of the report template.

EXAMPLE

A report template focused on mailbox traffic will let you select mailboxes, whereas a report template dedicated to public folder content will let you select public folders only.

Some transverse templates like Find Specific Messages, that is focused on messages, will let you select different recipient types: mailboxes, or distribution groups, or public folders.

Excluding objects

Click the ☒ **Exclude >>** button to exclude directory objects or recipients from the report using the same principle.

3. Selecting correspondents

The 'correspondents' are those who sent messages to, or received messages from your selection of recipients.

The vast majority of traffic report templates include a **Correspondents** tab. This feature lets you filter the correspondents of the recipients previously selected in the **Selection** tab.


The most usually available option allow you to select correspondents by address type.

- To select all internal correspondents, select: Correspondent type = Internal.
- To select all external correspondents, select: Correspondent type = External.
- To select all application agents, devices etc. that have an SMTP address but no mailbox, select: Correspondent type = Unidentified local recipient.

EXAMPLE

Getting started with Promodag Reports

You may want to select correspondents from specific SMTP domains, for example the gmail.com, yahoo and hotmail correspondents of the selection of mailboxes you have just checked in the **Selection** tab.




4. Selecting the right detail level

Many report templates include a **Content** tab with *Detail level* options. This feature is aimed at focusing the report at different levels.

EXAMPLE

A report template on mailbox content such as General Mailbox Content includes three detail levels: Mailbox, Folder, Item. If you select Mailbox, it will only display the mailbox name and a total item count and size, whereas it would display a list of items within the mailboxes you selected if you had selected Item.




The same principle applies to all other templates that have a *Detail level* option: the more you go down the list, the more detailed the report will be.

C - Saving custom reports

1. Saving and reloading a report with its options


To create and save a new custom report, select a report template from the Templates menu, and select the options of your choice. You may also record specific selection settings separately if you plan to reuse them in other reports.

- Click the *Save options* button at the bottom of the report interface to save the option file.
- Click the *Load options* button to reload it once the report interface is open.



2. Adding a report to the Favorites

Make your own custom reports available in the Favorites menu by selecting the 'Add to Favorites menu' check box before saving them.



D - Previewing, exporting, publishing and e-mailing reports

A report can either be previewed on screen, exported to various file formats, published to a SharePoint document library or automatically attached to an e-mail and sent to a recipient of your choice.

1. Previewing reports

The default output is 'Screen'. It is recommended to use it when generating a report for the first time, so that you can reload your options and adapt them if necessary.

2. Exporting reports

Use the File > Export Report option once the report is available for preview on screen.

Available formats

Reports can be exported to different file formats: CSV, PDF, XLS, XLSX, RTF, HTML, MHT.

3. Publishing reports

You can export reports

- To your Intranet: Export reports as PDF or HTML files to the web root of your intranet.
- To a public folder: Select the 'Exchange folder' output option.

Getting started with Promodag Reports

- To SharePoint: Select the SharePoint output option. The default server and document library can be selected in the Export tab of Tools > Options.
- To a SQL database table: Select the Database table output option. The default SQL server and database can be selected in the Export tab of Tools > Options.

4. E-mailing reports

All reports can be emailed to specific recipients, by selecting the Email output option. Moreover, the Individual reports tab allows you to email reports to all mailboxes selected in the report.

Support

This page provides an overview of Promodag support resources for our existing users and newcomers evaluating the product. Alongside a suite of on-line resource tools focused on addressing common user issues, we also provide a dedicated support system.

Self-help resources

The quickest starting point for your support needs is to consult our on-line resource tools on our support page (<https://www.promodag.com/support>).

Submitting a Support Request

Our customer support team will respond to requests from both users evaluating the product and customers with a valid maintenance contract.

Support requests can be submitted either ...

- Via our contact form: <https://www.promodag.com/contact-us/>
- Via email at support@promodag.com or use Help > Technical Support Request from the product's menu system.
- Or by phone: +33 1 45 73 49 96 or Toll Free (from USA only): (844) 311-5003.

We normally respond within 2 hours, but please allow 24 hours for us to respond to account for differences in international time zones. Our office hours are 10 AM to 7 PM UTC+1 (Paris), Monday to Friday.

Index

Certificate-based authentication		Report options	
Office 365	8	Detail level	24
Configuration Wizard		Export	25
Continue evaluation	14	Period	21
Creating a new database	15	Preview	25
IIS data source	18	Publish	25
Initializing the Wizard	13	Selecting correspondents	23
Office 365 connection	16	Selecting Exchange recipients	22
Starting import process	19	Report options file	24
Storage size data source	19	Requirements	
Traffic data source	17	Hardware	7
Database		On-Premises Exchange	7
Microsoft SQL LocalDB	15	Operating system	7
Microsoft SQL Server	15	SQL Server	11
Evaluation mode	13	Workstation	7
Installation	13	SQL LocalDB database	15
Office 365		SQL Server	
ApplicationImpersonation role	11	Permissions	12
Certificate-based authentication	8	Requirements	11
Permissions	8,11	SQL Server database	15
Roles	11	Support	
System layout	6	Self-help resources	26
User-based authentication	11	Submit a request	26
On-premises Exchange		Templates and custom reports	21
Permissions	7-8	User-based authentication	
Requirements	7	Office 365	11
System layout	5		
Permissions			
Office 365	8,11		
On-Premises Exchange	7		
SQL Server	12		